

libbluray

Generated by Doxygen 1.6.1

Sun Mar 25 02:04:24 2012

Contents

1	Class Index	1
1.1	Class List	1
2	File Index	3
2.1	File List	3
3	Class Documentation	5
3.1	bd_chapter Struct Reference	5
3.2	bd_clip Struct Reference	6
3.3	BD_EVENT Struct Reference	7
3.4	bd_stream_info Struct Reference	8
3.5	bd_title_info Struct Reference	9
3.6	BLURAY_DISC_INFO Struct Reference	10
4	File Documentation	11
4.1	src/libbluray/bluray.h File Reference	11
4.1.1	Detailed Description	15
4.1.2	Define Documentation	15
4.1.2.1	TITLES_ALL	15
4.1.2.2	TITLES_FILTER_DUP_CLIP	15
4.1.2.3	TITLES_FILTER_DUP_TITLE	15
4.1.2.4	TITLES_RELEVANT	15
4.1.3	Function Documentation	15
4.1.3.1	bd_chapter_pos	15

4.1.3.2	bd_close	16
4.1.3.3	bd_free_clpi	16
4.1.3.4	bd_free_title_info	16
4.1.3.5	bd_get_clpi	16
4.1.3.6	bd_get_current_angle	16
4.1.3.7	bd_get_current_chapter	17
4.1.3.8	bd_get_current_title	17
4.1.3.9	bd_get_disc_info	17
4.1.3.10	bd_get_event	18
4.1.3.11	bd_get_meta	18
4.1.3.12	bd_get_playlist_info	18
4.1.3.13	bd_get_title_info	19
4.1.3.14	bd_get_title_size	19
4.1.3.15	bd_get_titles	19
4.1.3.16	bd_get_version	20
4.1.3.17	bd_menu_call	20
4.1.3.18	bd_mouse_select	20
4.1.3.19	bd_open	20
4.1.3.20	bd_play	21
4.1.3.21	bd_play_title	21
4.1.3.22	bd_read	21
4.1.3.23	bd_read_ext	22
4.1.3.24	bd_read_skip_still	22
4.1.3.25	bd_register_overlay_proc	22
4.1.3.26	bd_seamless_angle_change	23
4.1.3.27	bd_seek	23
4.1.3.28	bd_seek_chapter	23
4.1.3.29	bd_seek_mark	24
4.1.3.30	bd_seek_time	24
4.1.3.31	bd_select_angle	24
4.1.3.32	bd_select_playlist	24

4.1.3.33	bd_select_title	25
4.1.3.34	bd_set_player_setting	25
4.1.3.35	bd_tell	25
4.1.3.36	bd_tell_time	26
4.1.3.37	bd_user_input	26

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

bd_chapter	5
bd_clip	6
BD_EVENT	7
bd_stream_info	8
bd_title_info	9
BLURAY_DISC_INFO	10

Chapter 2

File Index

2.1 File List

Here is a list of all documented files with brief descriptions:

src/libbluray/ bluray.h	11
---	----

Chapter 3

Class Documentation

3.1 bd_chapter Struct Reference

Public Attributes

- uint32_t **idx**
- uint64_t **start**
- uint64_t **duration**
- uint64_t **offset**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

3.2 bd_clip Struct Reference

Public Attributes

- uint32_t **pkt_count**
- uint8_t **still_mode**
- uint16_t **still_time**
- uint8_t **video_stream_count**
- uint8_t **audio_stream_count**
- uint8_t **pg_stream_count**
- uint8_t **ig_stream_count**
- uint8_t **sec_audio_stream_count**
- uint8_t **sec_video_stream_count**
- [BLURAY_STREAM_INFO](#) * **video_streams**
- [BLURAY_STREAM_INFO](#) * **audio_streams**
- [BLURAY_STREAM_INFO](#) * **pg_streams**
- [BLURAY_STREAM_INFO](#) * **ig_streams**
- [BLURAY_STREAM_INFO](#) * **sec_audio_streams**
- [BLURAY_STREAM_INFO](#) * **sec_video_streams**

The documentation for this struct was generated from the following file:

- [src/libbluray/bluray.h](#)

3.3 BD_EVENT Struct Reference

Public Attributes

- uint32_t **event**
- uint32_t **param**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

3.4 bd_stream_info Struct Reference

Public Attributes

- uint8_t **coding_type**
- uint8_t **format**
- uint8_t **rate**
- uint8_t **char_code**
- uint8_t **lang** [4]
- uint16_t **pid**
- uint8_t **aspect**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

3.5 bd_title_info Struct Reference

Public Attributes

- uint32_t **idx**
- uint32_t **playlist**
- uint64_t **duration**
- uint32_t **clip_count**
- uint8_t **angle_count**
- uint32_t **chapter_count**
- [BLURAY_CLIP_INFO](#) * **clips**
- [BLURAY_TITLE_CHAPTER](#) * **chapters**

The documentation for this struct was generated from the following file:

- [src/libbluray/bluray.h](#)

3.6 BLURAY_DISC_INFO Struct Reference

Public Attributes

- `uint8_t bluray_detected`
- `uint8_t first_play_supported`
- `uint8_t top_menu_supported`
- `uint32_t num_hdmv_titles`
- `uint32_t num_bdj_titles`
- `uint32_t num_unsupported_titles`
- `uint8_t aacs_detected`
- `uint8_t libaacs_detected`
- `uint8_t aacs_handled`
- `uint8_t bdplus_detected`
- `uint8_t libbdplus_detected`
- `uint8_t bdplus_handled`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

Chapter 4

File Documentation

4.1 src/libbluray/bluray.h File Reference

```
#include <stdint.h>
```

Classes

- struct [bd_stream_info](#)
- struct [bd_clip](#)
- struct [bd_chapter](#)
- struct [bd_title_info](#)
- struct [BLURAY_DISC_INFO](#)
- struct [BD_EVENT](#)

Defines

- #define [TITLES_ALL](#) 0
- #define [TITLES_FILTER_DUP_TITLE](#) 0x01
- #define [TITLES_FILTER_DUP_CLIP](#) 0x02
- #define [TITLES_RELEVANT](#) (TITLES_FILTER_DUP_TITLE | TITLES_FILTER_DUP_CLIP)
- #define [BLURAY_TITLE_FIRST_PLAY](#) 0xffff
- #define [BLURAY_TITLE_TOP_MENU](#) 0

Typedefs

- typedef struct bluray [BLURAY](#)

- typedef struct [bd_stream_info](#) BLURAY_STREAM_INFO
- typedef struct [bd_clip](#) BLURAY_CLIP_INFO
- typedef struct [bd_chapter](#) BLURAY_TITLE_CHAPTER
- typedef struct [bd_title_info](#) BLURAY_TITLE_INFO
- typedef void(* [bd_overlay_proc_f](#))(void *, const struct bd_overlay_s *const)

Enumerations

- enum [bd_stream_type_e](#) {
 BLURAY_STREAM_TYPE_VIDEO_MPEG1 = 0x01, BLURAY_STREAM_TYPE_VIDEO_MPEG2 = 0x02, BLURAY_STREAM_TYPE_AUDIO_MPEG1 = 0x03, BLURAY_STREAM_TYPE_AUDIO_MPEG2 = 0x04,
 BLURAY_STREAM_TYPE_AUDIO_LPCM = 0x80, BLURAY_STREAM_TYPE_AUDIO_AC3 = 0x81, BLURAY_STREAM_TYPE_AUDIO_DTS = 0x82, BLURAY_STREAM_TYPE_AUDIO_TRUHD = 0x83,
 BLURAY_STREAM_TYPE_AUDIO_AC3PLUS = 0x84, BLURAY_STREAM_TYPE_AUDIO_DTSHD = 0x85, BLURAY_STREAM_TYPE_AUDIO_DTSHD_MASTER = 0x86, BLURAY_STREAM_TYPE_VIDEO_VC1 = 0xea,
 BLURAY_STREAM_TYPE_VIDEO_H264 = 0x1b, BLURAY_STREAM_TYPE_SUB_PG = 0x90, BLURAY_STREAM_TYPE_SUB_IG = 0x91, BLURAY_STREAM_TYPE_SUB_TEXT = 0x92,
 BLURAY_STREAM_TYPE_AUDIO_AC3PLUS_SECONDARY = 0xa1, BLURAY_STREAM_TYPE_AUDIO_DTSHD_SECONDARY = 0xa2 }
- enum [bd_video_format_e](#) {
 BLURAY_VIDEO_FORMAT_480I = 1, BLURAY_VIDEO_FORMAT_576I = 2, BLURAY_VIDEO_FORMAT_480P = 3, BLURAY_VIDEO_FORMAT_1080I = 4,
 BLURAY_VIDEO_FORMAT_720P = 5, BLURAY_VIDEO_FORMAT_1080P = 6, BLURAY_VIDEO_FORMAT_576P = 7 }
- enum [bd_video_rate_e](#) {
 BLURAY_VIDEO_RATE_24000_1001 = 1, BLURAY_VIDEO_RATE_24 = 2, BLURAY_VIDEO_RATE_25 = 3, BLURAY_VIDEO_RATE_30000_1001 = 4,
 BLURAY_VIDEO_RATE_50 = 6, BLURAY_VIDEO_RATE_60000_1001 = 7 }
- enum [bd_video_aspect_e](#) { BLURAY_ASPECT_RATIO_4_3 = 2, BLURAY_ASPECT_RATIO_16_9 = 3 }

- enum **bd_audio_format_e** { **BLURAY_AUDIO_FORMAT_MONO** = 1, **BLURAY_AUDIO_FORMAT_STEREO** = 3, **BLURAY_AUDIO_FORMAT_MULTI_CHAN** = 6, **BLURAY_AUDIO_FORMAT_COMBO** = 12 }
- enum **bd_audio_rate_e** {
BLURAY_AUDIO_RATE_48 = 1, **BLURAY_AUDIO_RATE_96** = 4,
BLURAY_AUDIO_RATE_192 = 5, **BLURAY_AUDIO_RATE_192_COMBO** = 12,
BLURAY_AUDIO_RATE_96_COMBO = 14 }
- enum **bd_char_code_e** {
BLURAY_TEXT_CHAR_CODE_UTF8 = 0x01, **BLURAY_TEXT_CHAR_CODE_UTF16BE** = 0x02, **BLURAY_TEXT_CHAR_CODE_SHIFT_JIS** = 0x03, **BLURAY_TEXT_CHAR_CODE_EUC_KR** = 0x04,
BLURAY_TEXT_CHAR_CODE_GB18030_20001 = 0x05, **BLURAY_TEXT_CHAR_CODE_CN_GB** = 0x06, **BLURAY_TEXT_CHAR_CODE_BIG5** = 0x07 }
- enum **bd_still_mode_e** { **BLURAY_STILL_NONE** = 0x00, **BLURAY_STILL_TIME** = 0x01, **BLURAY_STILL_INFINITE** = 0x02 }
- enum **bd_player_setting** {
BLURAY_PLAYER_SETTING_PARENTAL = 13, **BLURAY_PLAYER_SETTING_AUDIO_CAP** = 15, **BLURAY_PLAYER_SETTING_AUDIO_LANG** = 16, **BLURAY_PLAYER_SETTING_PG_LANG** = 17,
BLURAY_PLAYER_SETTING_MENU_LANG = 18, **BLURAY_PLAYER_SETTING_COUNTRY_CODE** = 19, **BLURAY_PLAYER_SETTING_REGION_CODE** = 20, **BLURAY_PLAYER_SETTING_VIDEO_CAP** = 29,
BLURAY_PLAYER_SETTING_TEXT_CAP = 30, **BLURAY_PLAYER_SETTING_PLAYER_PROFILE** = 31 }
- enum **bd_event_e** {
BD_EVENT_NONE = 0, **BD_EVENT_ERROR**, **BD_EVENT_READ_ERROR**, **BD_EVENT_ENCRYPTED**,
BD_EVENT_ANGLE, **BD_EVENT_TITLE**, **BD_EVENT_PLAYLIST**, **BD_EVENT_PLAYITEM**,
BD_EVENT_CHAPTER, **BD_EVENT_END_OF_TITLE**, **BD_EVENT_AUDIO_STREAM**, **BD_EVENT_IG_STREAM**,
BD_EVENT_PG_TEXTST_STREAM, **BD_EVENT_PIP_PG_TEXTST_STREAM**, **BD_EVENT_SECONDARY_AUDIO_STREAM**, **BD_EVENT_SECONDARY_VIDEO_STREAM**,
BD_EVENT_PG_TEXTST, **BD_EVENT_PIP_PG_TEXTST**, **BD_EVENT_SECONDARY_AUDIO**, **BD_EVENT_SECONDARY_VIDEO**,
BD_EVENT_SECONDARY_VIDEO_SIZE, **BD_EVENT_SEEK**, **BD_EVENT_STILL**, **BD_EVENT_STILL_TIME** }

Functions

- void [bd_get_version](#) (int *major, int *minor, int *micro)
- uint32_t [bd_get_titles](#) (BLURAY *bd, uint8_t flags, uint32_t min_title_length)
- [BLURAY_TITLE_INFO](#) * [bd_get_title_info](#) (BLURAY *bd, uint32_t title_idx, unsigned angle)
- [BLURAY_TITLE_INFO](#) * [bd_get_playlist_info](#) (BLURAY *bd, uint32_t playlist, unsigned angle)
- void [bd_free_title_info](#) ([BLURAY_TITLE_INFO](#) *title_info)
- BLURAY * [bd_open](#) (const char *device_path, const char *keyfile_path)
- void [bd_close](#) (BLURAY *bd)
- int64_t [bd_seek](#) (BLURAY *bd, uint64_t pos)
- int64_t [bd_seek_time](#) (BLURAY *bd, uint64_t tick)
- int [bd_read](#) (BLURAY *bd, unsigned char *buf, int len)
- int [bd_read_skip_still](#) (BLURAY *bd)
- int64_t [bd_seek_chapter](#) (BLURAY *bd, unsigned chapter)
- int64_t [bd_chapter_pos](#) (BLURAY *bd, unsigned chapter)
- uint32_t [bd_get_current_chapter](#) (BLURAY *bd)
- int64_t [bd_seek_mark](#) (BLURAY *bd, unsigned mark)
- int [bd_select_playlist](#) (BLURAY *bd, uint32_t playlist)
- int [bd_select_title](#) (BLURAY *bd, uint32_t title)
- int [bd_select_angle](#) (BLURAY *bd, unsigned angle)
- void [bd_seamless_angle_change](#) (BLURAY *bd, unsigned angle)
- uint64_t [bd_get_title_size](#) (BLURAY *bd)
- uint32_t [bd_get_current_title](#) (BLURAY *bd)
- unsigned [bd_get_current_angle](#) (BLURAY *bd)
- uint64_t [bd_tell](#) (BLURAY *bd)
- uint64_t [bd_tell_time](#) (BLURAY *bd)
- const [BLURAY_DISC_INFO](#) * [bd_get_disc_info](#) (BLURAY *)
- int [bd_set_player_setting](#) (BLURAY *bd, uint32_t idx, uint32_t value)
- int [bd_set_player_setting_str](#) (BLURAY *bd, uint32_t idx, const char *s)
- int [bd_start_bdj](#) (BLURAY *bd, const char *start_object)
- void [bd_stop_bdj](#) (BLURAY *bd)
- int [bd_get_event](#) (BLURAY *bd, [BD_EVENT](#) *event)
- int [bd_play](#) (BLURAY *bd)
- int [bd_read_ext](#) (BLURAY *bd, unsigned char *buf, int len, [BD_EVENT](#) *event)
- int [bd_play_title](#) (BLURAY *bd, unsigned title)
- int [bd_menu_call](#) (BLURAY *bd, int64_t pts)
- void [bd_register_overlay_proc](#) (BLURAY *bd, void *handle, bd_overlay_proc_func)
- int [bd_user_input](#) (BLURAY *bd, int64_t pts, uint32_t key)
- int [bd_mouse_select](#) (BLURAY *bd, int64_t pts, uint16_t x, uint16_t y)
- struct meta_dl * [bd_get_meta](#) (BLURAY *bd)
- struct clpi_cl * [bd_get_clpi](#) (BLURAY *bd, unsigned clip_ref)
- void [bd_free_clpi](#) (struct clpi_cl *cl)

4.1.1 Detailed Description

external API header

4.1.2 Define Documentation

4.1.2.1 `#define TITLES_ALL 0`

all titles.

4.1.2.2 `#define TITLES_FILTER_DUP_CLIP 0x02`

remove titles that have duplicate clips.

4.1.2.3 `#define TITLES_FILTER_DUP_TITLE 0x01`

remove duplicate titles.

4.1.2.4 `#define TITLES_RELEVANT (TITLES_FILTER_DUP_TITLE | TITLES_FILTER_DUP_CLIP)`

remove duplicate titles and clips

4.1.3 Function Documentation

4.1.3.1 `int64_t bd_chapter_pos (BLURAY * bd, unsigned chapter)`

Find the byte position of a chapter

Parameters:

bd BLURAY object

chapter chapter to find position of

Returns:

seek position of chapter start

4.1.3.2 void bd_close (BLURAY * *bd*)

Free libbluray objects

Parameters:

bd BLURAY object

4.1.3.3 void bd_free_clpi (struct clpi_cl * *cl*)

Free CLPI_CL object

Parameters:

cl CLPI_CL objects

4.1.3.4 void bd_free_title_info (BLURAY_TITLE_INFO * *title_info*)

Free BLURAY_TITLE_INFO object

Parameters:

title_info BLURAY_TITLE_INFO object

4.1.3.5 struct clpi_cl* bd_get_clpi (BLURAY * *bd*, unsigned *clip_ref*) [read]

Get copy of clip information for requested playitem.

Parameters:

bd BLURAY objects

clip_ref requested playitem number

Returns:

pointer to allocated CLPI_CL object on success, NULL on error

4.1.3.6 unsigned bd_get_current_angle (BLURAY * *bd*)

Return the current angle

Parameters:

bd BLURAY object

Returns:

current angle

4.1.3.7 uint32_t bd_get_current_chapter (BLURAY * *bd*)

Get the current chapter

Parameters:

bd BLURAY object

Returns:

current chapter

4.1.3.8 uint32_t bd_get_current_title (BLURAY * *bd*)

Returns the current title index

Parameters:

bd BLURAY object

Returns:

current title index

4.1.3.9 const BLURAY_DISC_INFO* bd_get_disc_info (BLURAY *)

Get information about current BluRay disc

Parameters:

bd BLURAY object

Returns:

pointer to [BLURAY_DISC_INFO](#) object, NULL on error

4.1.3.10 int bd_get_event (BLURAY * *bd*, BD_EVENT * *event*)

Get event from libbluray event queue.

Parameters:

bd BLURAY object

event next [BD_EVENT](#) from event queue, NULL to initialize event queue

Returns:

1 on success, 0 if no events

4.1.3.11 struct meta_dl* bd_get_meta (BLURAY * *bd*) [read]

Get meta information about the bluray disc.

Parameters:

bd BLURAY object

Returns:

allocated META_DL (disclib) object, NULL on error

**4.1.3.12 BLURAY_TITLE_INFO* bd_get_playlist_info (BLURAY * *bd*,
uint32_t *playlist*, unsigned *angle*)**

Get information about a playlist

Parameters:

bd BLURAY object

playlist playlist number

angle angle number (chapter offsets and clip size depend on selected angle)

Returns:

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.13 BLURAY_TITLE_INFO* bd_get_title_info (BLURAY * *bd*, uint32_t *title_idx*, unsigned *angle*)

Get information about a title

Parameters:

bd BLURAY object

title_idx title index number

angle angle number (chapter offsets and clip size depend on selected angle)

Returns:

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.14 uint64_t bd_get_title_size (BLURAY * *bd*)

Returns file size in bytes of currently selected title, 0 in no title selected

Parameters:

bd BLURAY object

Returns:

file size in bytes of currently selected title, 0 if no title selected

4.1.3.15 uint32_t bd_get_titles (BLURAY * *bd*, uint8_t *flags*, uint32_t *min_title_length*)

This must be called after [bd_open\(\)](#) and before [bd_select_title\(\)](#). Populates the title list in BLURAY. Filtering of the returned list is controled through title flags

Parameters:

bd BLURAY object

flags title flags

min_title_length filter out titles shorter than min_title_length seconds

Returns:

number of titles found

4.1.3.16 void bd_get_version (int * *major*, int * *minor*, int * *micro*)

Get library version

4.1.3.17 int bd_menu_call (BLURAY * *bd*, int64_t *pts*)

Open BluRay disc Top Menu.

Current pts is needed for resuming playback when menu is closed.

Parameters:

bd BLURAY object

pts current playback position (1/90000s) or -1

Returns:

1 on success, 0 if error

4.1.3.18 int bd_mouse_select (BLURAY * *bd*, int64_t *pts*, uint16_t *x*, uint16_t *y*)

Select menu button at location (x,y).

Parameters:

bd BLURAY object

pts current playback position (1/90000s) or -1

x mouse pointer x-position

y mouse pointer y-position

Returns:

<0 on error, 0 when mouse is outside of buttons, 1 when mouse is inside button

4.1.3.19 BLURAY* bd_open (const char * *device_path*, const char * *keyfile_path*)

Initializes libbluray objects

Parameters:

device_path path to mounted Blu-ray disc

keyfile_path path to KEYDB.cfg (may be NULL)

Returns:

allocated BLURAY object, NULL if error

4.1.3.20 int bd_play (BLURAY * *bd*)

Start playing disc in navigation mode (using on-disc menus).

Playback is started from "First Play" title.

Parameters:

bd BLURAY object

Returns:

1 on success, 0 if error

4.1.3.21 int bd_play_title (BLURAY * *bd*, unsigned *title*)

Play a title (from disc index).

Title 0 = Top Menu Title 0xffff = First Play title Number of titles can be found from [BLURAY_DISC_INFO](#).

Parameters:

bd BLURAY object

title title number from disc index

Returns:

1 on success, 0 if error

4.1.3.22 int bd_read (BLURAY * *bd*, unsigned char * *buf*, int *len*)

Read from currently selected title file, decrypt if possible

Parameters:

bd BLURAY object

buf buffer to read data into

len size of data to be read

Returns:

size of data read, -1 if error, 0 if EOF

4.1.3.23 int bd_read_ext (BLURAY * *bd*, unsigned char * *buf*, int *len*, BD_EVENT * *event*)

Read from currently playing title.

When playing disc in navigation mode this function must be used instead of [bd_read\(\)](#).

Parameters:

bd BLURAY object

buf buffer to read data into

len size of data to be read

event next [BD_EVENT](#) from event queue (BD_EVENT_NONE if no events)

Returns:

size of data read, -1 if error, 0 if event needs to be handled first, 0 if end of title was reached

4.1.3.24 int bd_read_skip_still (BLURAY * *bd*)

Continue reading after still mode clip

Parameters:

bd BLURAY object

Returns:

0 on error

4.1.3.25 void bd_register_overlay_proc (BLURAY * *bd*, void * *handle*, bd_overlay_proc_f *func*)

Register overlay graphics handler function.

Parameters:

bd BLURAY object

handle application-specific handle that will be passed to handler function

func handler function pointer

Returns:

1 on success, 0 if error

4.1.3.26 void bd_seamless_angle_change (BLURAY * *bd*, unsigned *angle*)

Initiate seamless angle change

Parameters:

bd BLURAY object

angle angle to change to

4.1.3.27 int64_t bd_seek (BLURAY * *bd*, uint64_t *pos*)

Seek to pos in currently selected title

Parameters:

bd BLURAY object

pos position to seek to

Returns:

current seek position

4.1.3.28 int64_t bd_seek_chapter (BLURAY * *bd*, unsigned *chapter*)

Seek to a chapter. First chapter is 0

Parameters:

bd BLURAY object

chapter chapter to seek to

Returns:

current seek position

4.1.3.29 int64_t bd_seek_mark (BLURAY * *bd*, unsigned *mark*)

Seek to a playmark. First mark is 0

Parameters:

bd BLURAY object
mark playmark to seek to

Returns:

current seek position

4.1.3.30 int64_t bd_seek_time (BLURAY * *bd*, uint64_t *tick*)

Seek to specific time in 90Khz ticks

Parameters:

bd BLURAY object
tick tick count

Returns:

current seek position

4.1.3.31 int bd_select_angle (BLURAY * *bd*, unsigned *angle*)

Set the angle to play

Parameters:

bd BLURAY object
angle angle to play

Returns:

1 on success, 0 if error

4.1.3.32 int bd_select_playlist (BLURAY * *bd*, uint32_t *playlist*)

Select a playlist

Parameters:

bd BLURAY object
playlist playlist to select

Returns:

1 on success, 0 if error

4.1.3.33 int bd_select_title (BLURAY * *bd*, uint32_t *title*)

Select the title from the list created by [bd_get_titles\(\)](#)

Parameters:

bd BLURAY object
title title to select

Returns:

1 on success, 0 if error

4.1.3.34 int bd_set_player_setting (BLURAY * *bd*, uint32_t *idx*, uint32_t *value*)

Update player setting registers

Parameters:

bd BLURAY object
idx Player setting register
value New value for player setting register

Returns:

1 on success, 0 on error (invalid setting)

4.1.3.35 uint64_t bd_tell (BLURAY * *bd*)

Return current pos

Parameters:

bd BLURAY object

Returns:

current seek position

4.1.3.36 `uint64_t bd_tell_time (BLURAY * bd)`

Return current time

Parameters:

bd BLURAY object

Returns:

current time

4.1.3.37 `int bd_user_input (BLURAY * bd, int64_t pts, uint32_t key)`

Pass user input to graphics controller. Keys are defined in libbluray/keys.h. Current *pts* can be updated by using BD_VK_NONE key. This is required for animated menus.

Parameters:

bd BLURAY object

pts current playback position (1/90000s) or -1

key input key

Returns:

<0 on error, 0 on success, >0 if selection/activation changed

Index

bd_chapter, [5](#)
bd_chapter_pos
 [bluray.h, 15](#)
bd_clip, [6](#)
bd_close
 [bluray.h, 15](#)
BD_EVENT, [7](#)
bd_free_clpi
 [bluray.h, 16](#)
bd_free_title_info
 [bluray.h, 16](#)
bd_get_clpi
 [bluray.h, 16](#)
bd_get_current_angle
 [bluray.h, 16](#)
bd_get_current_chapter
 [bluray.h, 17](#)
bd_get_current_title
 [bluray.h, 17](#)
bd_get_disc_info
 [bluray.h, 17](#)
bd_get_event
 [bluray.h, 17](#)
bd_get_meta
 [bluray.h, 18](#)
bd_get_playlist_info
 [bluray.h, 18](#)
bd_get_title_info
 [bluray.h, 18](#)
bd_get_title_size
 [bluray.h, 19](#)
bd_get_titles
 [bluray.h, 19](#)
bd_get_version
 [bluray.h, 19](#)
bd_menu_call
 [bluray.h, 20](#)
bd_mouse_select
 [bluray.h, 20](#)
bd_open
 [bluray.h, 20](#)
bd_play
 [bluray.h, 21](#)
bd_play_title
 [bluray.h, 21](#)
bd_read
 [bluray.h, 21](#)
bd_read_ext
 [bluray.h, 22](#)
bd_read_skip_still
 [bluray.h, 22](#)
bd_register_overlay_proc
 [bluray.h, 22](#)
bd_seamless_angle_change
 [bluray.h, 23](#)
bd_seek
 [bluray.h, 23](#)
bd_seek_chapter
 [bluray.h, 23](#)
bd_seek_mark
 [bluray.h, 23](#)
bd_seek_time
 [bluray.h, 24](#)
bd_select_angle
 [bluray.h, 24](#)
bd_select_playlist
 [bluray.h, 24](#)
bd_select_title
 [bluray.h, 25](#)
bd_set_player_setting
 [bluray.h, 25](#)
bd_stream_info, [8](#)
bd_tell
 [bluray.h, 25](#)

bd_tell_time
 bluray.h, 25

bd_title_info, 9

bd_user_input
 bluray.h, 26

bluray.h
 bd_chapter_pos, 15
 bd_close, 15
 bd_free_clpi, 16
 bd_free_title_info, 16
 bd_get_clpi, 16
 bd_get_current_angle, 16
 bd_get_current_chapter, 17
 bd_get_current_title, 17
 bd_get_disc_info, 17
 bd_get_event, 17
 bd_get_meta, 18
 bd_get_playlist_info, 18
 bd_get_title_info, 18
 bd_get_title_size, 19
 bd_get_titles, 19
 bd_get_version, 19
 bd_menu_call, 20
 bd_mouse_select, 20
 bd_open, 20
 bd_play, 21
 bd_play_title, 21
 bd_read, 21
 bd_read_ext, 22
 bd_read_skip_still, 22
 bd_register_overlay_proc, 22
 bd_seamless_angle_change, 23
 bd_seek, 23
 bd_seek_chapter, 23
 bd_seek_mark, 23
 bd_seek_time, 24
 bd_select_angle, 24
 bd_select_playlist, 24
 bd_select_title, 25
 bd_set_player_setting, 25
 bd_tell, 25
 bd_tell_time, 25
 bd_user_input, 26
 TITLES_ALL, 15
 TITLES_FILTER_DUP_CLIP, 15
 TITLES_FILTER_DUP_TITLE, 15
 TITLES_RELEVANT, 15
 BLURAY_DISC_INFO, 10
 src/libbluray/bluray.h, 11
 TITLES_ALL
 bluray.h, 15
 TITLES_FILTER_DUP_CLIP
 bluray.h, 15
 TITLES_FILTER_DUP_TITLE
 bluray.h, 15
 TITLES_RELEVANT
 bluray.h, 15
